Diabetes Medication Administration Form [Part A] School Health فراہم کنندہ کے لیے ادویات کا آرڈر فارم | اسکول کا دفتر صحت | تعلیمی سال 25-2024 برائے مہربانی تمام DMAF کو 8945/8932-396-347 پر فیکس کریں آخری تاریخ: 1 جون 1 جون <u>کے بعد جمع کروائے گئے فارم نئے</u> تعلیمی سال <u>کے لیے</u> کارروائی میں تاخیر کرسکتے ہیں بیاد نئر کرسکتے ہیں یا کو 8945/8932-396-397 پر طالب علم کا آخری نام: _____ تاریخِ پیدائش (سال/دن/مہینه): _____ DOE ضلم: گریڈ: _____ کلاس: ____ جنس : □ لڑکی □ لڑکا OSIS نمبر:_ اسكول ATSDBN نام/ يته/ برو: ذیل کو صحتاتی بیشه ور مکمل کرس گے / HEALTH CARE PRACTITIONER COMPLETES BELOW [Please see 'Provider Guidelines for DMAF Completion'] ☐ Type 1 Diabetes ☐ Type 2 Diabetes ☐ Other Diagnosis:______ Dx Date _____ Recent A1c Date: __ Orders written will be implemented when submitted and approved. If you wish to start order implementation in September 2024, please check here 🛚 EMERGENCY ORDERS Severe Hypoglycemia Administer Glucagon and CALL 911 (If more than one option is chosen, school staff will use ONE form of available glucagon unless otherwise directed.) Baqsimi Glucagon **GVOKE** Zegalogue □ 0.6 mg SC □ 1 mg □ 1 mg □ 3 mg \square 0.5 mg SC/IM \square 0.5 mg SC/IM may repeat in 15 min if needed Intranasal Give PRN: unconscious, unresponsive, seizure, or inability to swallow EVEN if bG is unknown. Turn onto left side to prevent aspiration and call 911. Risk for Ketones or Diabetic Ketoacidosis (DKA) ☐ Test ketones if bG > _____mg/dl or if vomiting, or fever > 100.5 F OR ☐ Test ketones if bG > ____mg/dl for the 2nd time that day (at least 2 has a mg/dl for the 2nd time that day (at least 2 hrs. apart), or if vomiting or fever > 100.5 F □ Test ketones if bG > If small or trace give water; re-test ketones & bG in 2 hrs or _____ hrs If ketones are moderate or large, give water; Call parent and Endocrinologist NO GYM If ketones and vomiting, unable to take PO, has altered mental status or breathing changes and MD not available, CALL 911 Give insulin correction dose if > 2 hrs or hours since last rapid acting insulin. **SKILL LEVEL** (if not complete, will default to nurse-dependent) Blood Glucose (bG) Monitoring Skill Level Insulin Administration Skill Level ☐ Independent Student Self-carry / Self-administer Nurse / adult must check bG. ☐ Nurse-Dependent Student: nurse (MUST Initial attestation) I attest that the independent Student to check bG with adult supervision. must administer medication. student demonstrated the ability to self-administer the ☐ Student may check bG without supervision. ☐ Supervised student: student calculates and prescribed medication (excluding glucagon) effectively during self-administers, under adult supervision. school, field trips and school sponsored events. Provider Initials BLOOD GLUCOSE MONITORING [See Part B for CGM readings] Specify times to test in school (must match times for treatment and/or insulin) ☐ Breakfast ☐ Lunch ☐ Snack ☐ Gym □ Dismissal Hypoglycemia Insulin is given before food unless noted here ☐ Breakfast ☐ Lunch ☐ Snack ☐ Give snack* before gym Check all boxes needed. Must include at least one treatment plan. □ For bG < _____mg/dl give _____gm rapid carbs at □ Breakfast □ Lunch □ Snack □ Gym □ Dismissal □ PRN ☐ **T2DM** – no bG monitoring or insulin in Repeat bG testing in 15 or _____ min. If bG still < _____ mg/dl repeat carbs and retesting until bG > _____mg/dl _ mg/dl give _____ gm rapid carbs at □ Breakfast □ Lunch □ Snack □ Gym □ Dismissal □ PRN ☐ For bG < 15 gm rapid carbs = 4 glucose tabs = Repeat bG testing in 15 or min. If bG still < mg/dl repeat carbs and retesting until bG > 1 glucose gel tube = 4 oz. juice □ For bG < mg/dl give pre-gym, no gym □ For bG < mg/dl treat hypoglycemia and then give snack* □ Pre-gym □ PRN *snacks not provided by student's family will be between 15 and 25 g carbohydrates unless otherwise specified in Other Orders Give insulin after □ Breakfast □ Lunch □ Snack □ Give snack* before gym if bG < Mid-Range Glycemia Insulin is given before food unless noted here Insulin is given before food unless noted here Hyperglycemia Give insulin after □ Breakfast □ Lunch □ Snack ☐ For bG > __ mg/dL pre-gym, no gym and □ check ketones For bG meter reading "High" use bG of 500 or mg/dl PRN, Give insulin correction dose if > 2 hrs or _____ hrs. since last rapid acting insulin ☐ For bG > ☐ Check bG or Sensor Glucose (sG) before dismissal ☐ Give correction dose pre-meal and carb coverage after meal ☐ For sG or bG values < _____ mg/dl treat for hypoglycemia if needed, and give_ gm carb snack before dismissed mg/dl treat for hypoglycemia if needed, and do not send on bus/mass transit, parent to pick up from school. ☐ For sG or bG values < INSULIN ORDERS Insulin Name* **Insulin Calculation Method: Insulin Calculation Directions:** ☐ Carb Coverage ONLY at ☐ Breakfast ☐ Lunch ☐ Snack (give number, not range) <u>Target bG</u> = ___mg/dl (time ___ to __ Target bG = ___mg/dl (time ___ to __ \square Correction Dose **ONLY** at \square Breakfast \square Lunch \square Snack *May substitute Novolog with Humalog/Admelog ☐ Carb Coverage <u>plus</u> correction dose when bG > Target **AND** at least 2 hrs or ____ hrs. since last rapid acting insulin at □ Breakfast □ Lunch □ Snack ☐ No Insulin in School ☐ No Insulin at Snack Insulin Sensitivity Factor (ISF): **Delivery Method:** 1 unit decreases bG by____mg/dl ☐Smart Pen - use pen suggestions Correction dose calculated using \square ISF or \square Sliding Scale □ Syringe/Pen (time____to___ 1 unit decreases bG by_ ☐ Fixed Dose (See Optional Orders)

☐ Pump (Brand) ☐ Sliding Scale (See *Part B*) ☐ If gym/recess is immediately following lunch, subtract gm carbs from lunch carb calculation. For Pumps: **Additional Pump Instructions:** ☐ Follow pump recommendations for bolus dose (if not using ☐ Student on FDA approved hybrid closed loop pump-basal rate variable per pump. pump recommendations, will round down to nearest 0.1 unit) ☐ Suspend/disconnect pump for gym ☐ For bG > _____mg/dl that has not decreased in_____hours after correction, consider pump failure and notify parents ☐ Suspend pump for hypoglycemia not responding to treatment for ____ min ☐ Activity Mode (HCL pumps):

Carb Coverage: # gm carb in meal = X units insulin

Start ___ minutes prior to exercise, to end

prior, during, and 2 hrs following exercise)

minutes after exercise is complete (DEFAULT 1 hr

Correction Dose using ISF: bG - Target bG = X units

Round **DOWN** insulin dose to closest 0.5 unit for syringe/pen or nearest whole unit if syringe/pen doesn't have ½ unit marks; unless otherwise instructed by PCP/endocrinologist. Round DOWN to nearest 0.1 unit for pumps, unless following pump recommendations or PCP/endocrinologist orders.

 $\hfill \square$ For suspected pump failure: SUSPEND pump, give rapid

acting insulin by syringe or pen and notify parents.

□ For pump failure, only give correction dose if >__

since last rapid acting insulin

(time to (time will be 7am to 4 pm if not specified)

Insulin to Carb Ration (I:C):

Bkfast OR timeto					
1 unit pergms carbs					
Snack OR timeto					
1 unit pergms carbs					
Lunch OR timeto					

1 unit per____gms carbs

qm carb in I:C

Diabetes Medication Administration Form [Part B]



فترِ صحت تعليم <i>ي</i> سال 25-2024								neattn OCITO	or rical
8945/89-396-396 پر فیکس کریں 								1 جون 1 جون کے بعد جمع کرو	
OS نمبر:	IS	دن/مهینه): <u> </u>	_ تاريخِ پيدائش (سال/			نام:	پہلا	اخری نام:	ب علم کا
CO	NTINUOUS GLUCO	SE MONITORING (CO	SM) ORDERS [Pl	lease see 'Pr	ovider Gu	idelines to	r DMAF Comp	oletion']	
☐ Use CGM readings - For protocol. (sG = sensor gluc			only devices FDA a	ipproved for us	e and age i	may be used	within the limit	s of the manufacturer's	
For CGM used for insulin dosi	•		me don't match the	CCM readings	e: if there is	como rocco	on to doubt the	consor (i.e. for readings <	 70 mg/d
									0 mg/u
or sensor does not show both	•		•	•			_		
sG Monitoring Specify times	_			=		=			
For sG < 70mg/dl ch	eck bG and follow order	rs on DMAF, unless other	wise ordered below	. Use CGM grid	d below OR	R 🔲 See att	ached CGM ins	tructions	
CGM reading	Arrows	Action			□ use < 8	30 mg/dl inst	ead of < 70 mg/	dl for grid action plan	
sG < 60 mg/dl	Any arrows	Treat hypoglycemia	a per bG hypoglycer	nia plan; Reche	eck in 15-20) min. If still <	70 mg/dl check	bG.	
sG 60-70 mg/dl	and \downarrow , $\downarrow\downarrow$, \searrow or	→ Treat hypoglycemia							
sG 60-70 mg/dl	and ↑ , ↑↑, or ↗	If symptomatic, treat hypoglycemia per bG hypoglycemia plan; if not symptomatic, recheck in 15-20 minutes. If still <70						0	
	mg/dl check bG.								
sG >70 mg/dl	Any arrows	Follow bG DMAF of	Follow bG DMAF orders for insulin dosing						
sG ≤ 120 mg/dl pre-gym or	and \downarrow , $\downarrow\downarrow$		ered carbs. If gym	or recess is im	mediately a	after lunch, s	ubtract 15 gms	of carbs from lunch carb	
recess		calculation.							
sG ≥ 250	Any arrows		orders for treatment	and insulin dos	sing				
☐ For student using CGM, v	vait 2 hours after meal t	before testing ketones for	hyperglycemia.						
		PARENTAL INPUT INTO	INSULIN DOSING	لدین کے تبصرات / ا	وراک کے لیے وا	انسولين خ			
Parent(s)/Guardian(s) (<i>give na</i>			4 41		, m	nay provide	the nurse with in	nformation relevant to insu	llin
dosing, including dosing recor in keeping with nursing judgm		e parent's input into accou	unt, the nurse will a	etermine the in	sulin dose	within the ra	nge ordered by	the health care practitions	er <u>and</u>
Triceping with hursing judgin	GIII.	Ple	ease select ONE o	ption below:					
☐ Nurse may adjust calculat	ed dose up or down up				adjust cal	culated dose	up by	% or down by	_ %
parental input and nursing	j judgment.			of the pres	cribed dose	e based on p	parental input ar	nd nursing judgment.	
MUST COMPLETE Health ca	•				If t	the parent re	equests a simila	r adjustment for > 2 days i	in a
row, the nurse will contact the	health care practitione	r to see if the school order	rs need to be revise	ed.					
Do NOT overlap ranges (e.g.	enter 0-100, 101-200, e	etc.). If ranges overlap, the	Sliding Scale lower dose will be		-treatment	bG to calcul	ate insulin dose	unless other orders.	
Time	bG	Units Insu	lin (Other Time			oG	Units Insulin	
-	Zero –			Other Time :		Zero			
□ Lunch	Zeio –	-		ınah		2610			-
Lunch		-		unch					
☐ Snack		-		nack					
☐ Breakfast		_	□В	reakfast					
☐ Correction Dose		-	□ C	orrection Dos	se				
		_							
☐ see attached		_							
			Optional Or	ders					
□ Round insulin dosing to	nearest whole unit: 0.51	1-1.50u rounds to 1.00u.		☐ Use sl	iding scale	for correction	n <u>AND</u> meals A	DD:	
□ Round insulin dosing to		0.75u rounds to 0.50 u					or lunch;		
(must have half unit s	syringe/pen).						or snack;		
				(slidin	a scale mus		or Breakfast d as correction o	dose only)	
☐ Long-acting insulin giver	in school - Dose	units - Time	or 🗆 Lu		g coure ma	ot bo markot	. 40 00//00//0//	2000 0111y)	
Long Acting Insulin Na	me								
			Other Ord	ers					
			HOME MEDICA ☐ None	ATIONS					
Medication	Dose		Frequency		Ti	ime		Route	
Insulin									
011									
Other									
			ADDITIONAL INFO	ORMATION				•	
Is the child using altered or no			[Please note that N	ew York State	Education I	aws prohibit	nurses from ma	anaging non-FDA devices	
Please provide pump-failure a		n DMAF Part A Form.] form, I certify that I h	ave discussed t	hase orders	with the	narent/e\	/ guardian(e)		
Health Care Practitioner		ionii, i ceruiy iliat i il	ave discussed i	nese orders	with the	parent(s)	guaruian(s)	•	
Last Name (Print):		First	t Name (Print)						
Signature:								·	
NYS License or NPI # (Re						□ NP	□ PA		
							⊔ FA		
Address:				Em	ail addres	s:			
Tel.:		FAX:			Cell Pho	one:			
Tel.: FAX: Cell Phone:									

CDC & AAP recommend annual seasonal influenza vaccination for all children diagnosed with diabetes. INCOMPLETE PRACTITIONER INFORMATION WILL DELAY IMPLEMENTATION OF MEDICATION ORDERS

Diabetes Medication Administration Form

فراہم کنندہ کے لیے ادویات کا آرڈر فارم | اسکول کا دفترِ صحت | تعلیمی سال 25-2024

آخری تاریخ: 1 جون 1 جون کے بعد جمع کروائے گئے فارم نئے تعلیمی سال کے لیے کارروائی میں تاخیر کرسکتے ہیں برانے مہربانی تمام DMAF کو 845/8932-396 پر فیکس کریں



والدین / سرپرست مطالعه کربی، مکمل کربی اور دستخط کربی۔ ذیل میں دستخط کرکے میں اس پر متفق ہموں که:

- 1. میں نرس / اسکول میں قائم مرکزِ صحت (SBHC) کو میرے بچے کو تجویز کردہ دوا دینے، اور نرس / تربیت یافته عملے / SBHC کو انکے خون میں شوگر کی جانچ کرنے، اور انکے خون میں شوگر کو کم کرنے کے لیے میرے بچے کے صحتیاتی نگہداشت پیشہ ورکی ہدایات اور تعین کردہ قابلیت کی سطح کے مطابق علاج کرنے کی اجازت دیتا ہوں۔ یہ اعمال اسکول کے احاطے میں یا اسکول کے تفریحی
 - 2. میں، میرے بچ کی دوا کے لیے درکار کسی بھی آلات کے اسکول میں محفوظ اور استعمال کیے جانے کی بھی اجازت دیتا ہوں۔

3. میں سمجھتا ہوں که:

دوروں کے دوران انجام دے جا سکتے ہیں۔

- مجھے اسکول نرس / SBHC فراہم کنندہ کو اپنے بچ کی ادویات، اسنیکس، آلات اور متعلقه اشیاء فراہم کرنا لازمی ہے اور ضرورت کے مطابق ادویات، اسنیکس، آلات اور متعلقه اشیاء کی دوباره فراہمی لازمی ہے۔ OSH میر ے بچ کے خون میں شوگر کی سطح کی جانچ کرنے اور انسولین دینے کے لیے محفوظ نیشتر (سیفٹی لینسٹ) اور دیگر محفوظ سوئی، آلات اور سامان استعمال کرنے کی سفارش کرتا ہے۔
 سفارش کرتا ہے۔
 - 🕨 🔻 میں اپنے بچے کو ان کی دوائی / لوازمات کو اسکول اور تفریحی دوروں پر لے جانے کی اور اپنے پاس رکھنے کی اجازت دیتا ہوں جیسا که ان کے 504 اجلاس میں خاکه کش کیا گیا ہے۔
- و تمام نسخے والی اور "کاوئنٹر سے ملنے والی" ادویات جو میں اسکول کو دونگا، وہ نئی سیل بند، اور اصل بوتل یا ڈبے میں لازمی بند ہوں گی۔ میں اپنے بچے کو اسکول کے دنوں میں استعمال کے لیے فراہم کروں گا۔ لیے جدید، غیر منسوخ شدہ دوائی استعمال کرنے کے لیے فراہم کروں گا۔
- صخے والی دوا کے ڈے یا بوتل پر اصل فارمیسی کا لیبل لگا ہونا لازم ہے۔ لیبل پر لازماً شامل ہونا چاہئے: 1) میرے بچ کا نام، 2) فارمیسی کا نام اور فون، 3) میرے بچ کے صحتیاتی نگہداشت پیشه ورکا نام، 4) تاریخ، 5) دوبارہ بھرنے (refill) کی تعداد، 6) دواکا نام، 7) خوراک 8) دوائی کب لینی ہے، 9) دواکیسے لی جاۓ اور 10) کوئی دیگر ہدایات۔
 - 🔹 🔻 میرے لیے اپنے بچے کی دوا یا صحتیاتی نگہداشت پیشه ور کی ہدایات میں کسی بھی تبدیلی سے اسکول نرس / SBHC فراہم کنندہ کو فوری طور پر آگاہ کرنا لازی ہے۔
 - میرے بچے کو مذکورہ بالا صحت سے متعلقہ خدمت (خدمات) فراہم کرنے میں شامل OSH اور اسکے کارندے اس فارم پر دی گئی معلومات کی درستگی پر انحصار کر رہے ہیں۔
 - ان ادویات کو دینے کا فارم (MAF) پر دستخط کر کے میں OSH کواپنے بچے کی ذیابیطس سے متعلقه صحتی نگہداشت خدمات فراہم کرنے کی اجازت دیتا ہوں۔ ان خدمات میں شامل ہو
 سکتی ہیں لیکن انہی تک محدود نہیں، OSH کے طبی نگہداشت پیشه ور یا نرس کے ذریع کلینکی تشخیص یا ایک جسمانی معائنه۔
- ، اس MAF میں دواکا آرڈر میر ے بچے کے تعلیمی سال کے آخر میں منسوخ ہوجائے گا، جس میں گرمیوں کا دورانیہ شامل ہوسکتا ہے، یا جب میں اسکول نرس / SBHC فراہم کنندہ کو میر ے بچے کے طبی نگہداشت پیشہ ور کے ذریعے تحریر فراہم کروں (جو بھی پہلے واقع ہو)۔ جب اس دوا کے آرڈر کی میعاد منسوخ ہوجائے، میں اپنے بچے کی اسکول نرس / SBHC فراہم کنندہ کو میر ے بچے کے طبی نگہداشت پیشہ ور کے ذریعے تحریر کردہ ایک نیا MAF فراہم کرونگا۔ OSH کو مستقبل میں MAF کے لیے میر ے دستخط کی ضرورت نہیں ہوگی۔
 - اور محکمئه تعلیم (DOE) یه یقینی بنان کے ذمه دار ہیں که میرا بچه خود بحفاظت اپنے خون میں شوگر کی جانج کرسکتا ہے۔
- اس فارم پر وضاحت کردہ ذیابطیس خدمات کے لیے یه فارم میری اجازت اور درخواست کی نمائندگی کرتا ہے اور اس کو اسکول کے دفتر صحت کو براہ راست بھیجا جا سکتا ہے۔ یه OSH کی جانب سے درخواست کردہ خدمات فراہم کیے جانے کا معاہدہ نہیں ہے۔ اگر OSH یہ خدمات فراہم کرنے کا فیصلہ کرتا ہے، میرے بچے کو ایک طالب علم جز 504 سہولیت منصوبے کی بھی ضرورت ہو سکتی ہے۔ اس منصوبے کو اسکول مکمل کرے گا۔
- OSH میرے بچے کو نگہداشت یا علاج کی فراہمی کے مقاصد کے لیے، دیگر کوئی بھی معلومات حاصل کرسکتا ہے جو انکے خیال میں میرے بچے کی طبی صورتِ حال، دوا یا علاج کے لیے درکار ہے۔
 OSH یہ معلومات کسی بھی ایسے طبی نگہداشت کے پیشہ ور، نرس، یا دوا فروش سے حاصل کرسکتا ہے جنہوں نے میرے بچے کو صحت سے متعلقہ خدمات فراہم کی ہیں۔

توجه: اس بات کو ترجیح دی جاتی ہے که آپ اسکول تفریحی دور مے کے دن اور اسکول سے باہر سرگرمیوں کے لیے اپنے بچ کے لیے دوا اور آلات بھیجیں۔ ذیابیطس کی ادویات دینے کا فارم (DMAF) کے بار مے میں والدین کے سوالات کے لیے OSH ہاٹ لائن: 786-4933

خود ادویات لینے / عمل درآمد کرنے کے لیے (خود مختار طلبا):

- میں تصدیق / توثیق کرتا ہوں که میرا بچه مکمل تربیت یافته ہے اور وہ خود دوا لے سکتا ہے اور / یا عمل درآمد کر سکتا ہے۔ میں اپنے بچے کو اس فارم پر دی گئی دوائیوں کو اسکول اور تفریحی دوروں میں لاخ، محفوظ کرنے اور خود سے لینے کی اجازت دیتا ہوں۔ میں مذکورہ بالا کے مطابق اپنے بچے کو یه دوا بوتلوں یا ڈبوں میں دینے کا ذمه دار ہوں۔ میں اپنے بچے کے دوا کے استعمال کرنے کی جانچ کرنے، اور اسکول میں میرے بچے کی دوا ساتھ رکھنے اور خود سے لینے کی اہلیت کی تصدیق کرے گا۔ میں اس پر بھی آمادہ ہوں که اسکول کو دوا ایک واضح لیبل لگے ہوئے ڈچ یا بوتل میں"محفوظ ذخیرہ" (بیک آپ) کے لیے دوں گا۔
- اگر میرا بچه عارضی طور پر دوائیاں ساتھ رکھنے اور خود سے لینے سے قاصر ہو جائے میں اسکول نرس یا تربیت یافته اسکول عملے کو بذریعه انجکشن گلوکاگون (Glucagon) اور / یا نیسزل گلوگاگون دینے کی اجازت دیتا ہوں اگر یه ان کے طبی نگہداشت فراہم کنندہ کی جانب سے تجویز کیا گیا ہے۔

طالب علم كا: آخرى نام:		_ پہلا نام:	درمیانه	رمیانه مختصر نام:	تاريخِ پيدائش: (سال/دن/مهينه)	
سكول (ATS DBN/نام):				برو:	ضلع:	
والدین / سرپرست کا نام (جلی	، حروف میں):		والدين سري	.ین سرپرست کا ای میل:		
والدین / سرپرست کے حصہ ۸	A اور B کے لیے دستخط:			دستخط کی تار	تاريخ: (سال/دن/مهينه)	
والدين / سرپرست كا پته:						
ئىليفون نمبرز:	دن کے وقت:		گهر:		سیل فون:	
ہنگا م ی صورت میں متبادل راب	طه فرد:		طالب علم کے ساتھ رشتہ:		فون نمبر:	

T-37005 (Urdu) OHS DMAF REV 4/24 ذیا بیطس کی ادویات دینے کا فارم OHS DMAF REV 4/24

Diabetes Medication Administration Form

فراہم کنندہ کے لیے ادویات کا آرڈر فارم | اسکول کا دفترِ صحت | تعلیمی سال 25-2024 برائے مہربانی تمام DMAF کو 8945/8932-487 پر فیکس کریں



آخری تاریخ: 1 جون 1 جون کے بعد جمع کروائے گئے فارم نئے تعلیمی سال کے لیے کارروائی میں تاخیر کرسکتے ہیں

صرف دفتر برائے اسکول میں صحت (OSH) کے استعمال کے لیے / OSH) Use Only						
OSIS Number:	Received by - Name:		Date:			
☐ 504 ☐ IEP ☐ Other:	Reviewed by - Name:		Date:			
Referred to School 504 Coordinator: Yes No						
Services provided by: Nurse/NP OSH Public Health Advisor (for supervised students only) School Based Health Center						
Signature and Title (RN OR SMD): Date School Notified & Form Sent to DOE Liaison:						
Revisions as per OSH contact with prescribing health care practitioner: Clarified Modified						

Notes:

T-37005 (Urdu) OHS DMAF REV 4/24 ذیا بیطس کی ادوبات دینے کا فارم