

**Bldg ID:** K085 P.S. 753 (OLD P85/STERLING HS) - K

**Geo District:** 13

**Bldg Address:** 510 CLERMONT AVENUE

**Survey Principal:** YVROSE PIERRE

Added Room

Room Number Changed

| Room No | 2015-2016<br>Org Name | Room<br>SQFT | AC | 2014-2015<br>Room Function  | 2015-2016<br>Room Function  | Primary<br>Function<br>Used % | Sharing<br>Y/N |
|---------|-----------------------|--------------|----|-----------------------------|-----------------------------|-------------------------------|----------------|
| 102     | K753 SPED - BROOKLYN  | 672          | Y  | D75 SPED CLASSROOM          | D75 SPED CLASSROOM          | 50 - 100                      | N              |
| 103     | K753 SPED - BROOKLYN  | 300          | Y  | TEACHER'S CAFETERIA         | TEACHER'S CAFETERIA         | 50 - 100                      | N              |
| 105     | K753 SPED - BROOKLYN  | 336          | Y  | GUIDANCE OFFICE             | GUIDANCE OFFICE             | 50 - 100                      | N              |
| 107     | K753 SPED - BROOKLYN  | 576          | Y  | HOME ECONOMICS              | HOME ECONOMICS              | 50 - 100                      | N              |
| 107A    | K753 SPED - BROOKLYN  | 140          | N  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |
| 108     | K753 SPED - BROOKLYN  | 1,053        | Y  | OTHER SHOP ROOM             | OTHER SHOP ROOM             | 50 - 100                      | N              |
| 108A    | K753 SPED - BROOKLYN  | 121          | N  | OTHER OFFICE                | OTHER OFFICE                | 50 - 100                      | N              |
| 109     | K753 SPED - BROOKLYN  | 696          | Y  | OTHER SHOP ROOM             | OTHER SHOP ROOM             | 50 - 100                      | N              |
| 109A    | K753 SPED - BROOKLYN  | 120          | N  | STORAGE ROOM                | STORAGE ROOM                | 50 - 100                      | N              |
| 110     | K753 SPED - BROOKLYN  | 720          | Y  | OTHER SHOP ROOM             | OTHER SHOP ROOM             | 50 - 100                      | N              |
| 110A    | K753 SPED - BROOKLYN  | 121          | N  | OTHER ORGANIZATION          | OTHER ORGANIZATION          | 50 - 100                      | N              |
| 112     | K753 SPED - BROOKLYN  | 306          | Y  | PARENT'S ROOM               | PARENT'S ROOM               | 50 - 100                      | N              |
| 113     | K753 SPED - BROOKLYN  | 864          | Y  | D75 SPED CLASSROOM          | D75 SPED CLASSROOM          | 50 - 100                      | N              |
| 116     | K753 SPED - BROOKLYN  | 190          | Y  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |
| 120     | K753 SPED - BROOKLYN  | 312          | Y  | TEACHER'S CAFETERIA         | TEACHER'S CAFETERIA         | 50 - 100                      | N              |
| 128     | K753 SPED - BROOKLYN  | 1,792        | Y  | STUDENT CAFETERIA           | STUDENT CAFETERIA           | 50 - 100                      | N              |
| 130     | K753 SPED - BROOKLYN  | 1,960        | Y  | AUDITORIUM                  | AUDITORIUM                  | 50 - 100                      | N              |
| 131     | K753 SPED - BROOKLYN  | 165          | Y  | OTHER OFFICE                | OTHER OFFICE                | 50 - 100                      | N              |
| 132     | K753 SPED - BROOKLYN  | 3,528        | Y  | GYMNASIUM                   | GYMNASIUM                   | 50 - 100                      | N              |
| 202     | K753 SPED - BROOKLYN  | 528          | Y  | D75 SPED CLASSROOM          | D75 SPED CLASSROOM          | 50 - 100                      | N              |
| 203     | K753 SPED - BROOKLYN  | 418          | Y  | D75 SPED CLASSROOM          | D75 SPED CLASSROOM          | 50 - 100                      | N              |
| 205     | K753 SPED - BROOKLYN  | 448          | Y  | COMPUTER LAB                | COMPUTER LAB                | 50 - 100                      | N              |
| 206     | K753 SPED - BROOKLYN  | 988          | Y  | GUIDANCE OFFICE             | GUIDANCE OFFICE             | 50 - 100                      | N              |

**Bldg ID:** K085 P.S. 753 (OLD P85/STERLING HS) - K

**Geo District:** 13

**Bldg Address:** 510 CLERMONT AVENUE

**Survey Principal:** YVROSE PIERRE

Added Room

Room Number Changed

| Room No | 2015-2016<br>Org Name | Room<br>SQFT | AC | 2014-2015<br>Room Function | 2015-2016<br>Room Function | Primary<br>Function<br>Used % | Sharing<br>Y/N |
|---------|-----------------------|--------------|----|----------------------------|----------------------------|-------------------------------|----------------|
| 207     | K753 SPED - BROOKLYN  | 475          | Y  | OTHER OFFICE               | OTHER OFFICE               | 50 - 100                      | N              |
| 207A    | K753 SPED - BROOKLYN  | 224          | Y  | AP'S OFFICE                | AP'S OFFICE                | 50 - 100                      | N              |
| 209     | K753 SPED - BROOKLYN  | 252          | Y  | OTHER OFFICE               | OTHER OFFICE               | 50 - 100                      | N              |
| 210     | K753 SPED - BROOKLYN  | 1,125        | Y  | GENERAL/MAIN OFFICE        | GENERAL/MAIN OFFICE        | 50 - 100                      | N              |
| 211     | K753 SPED - BROOKLYN  | 297          | Y  | NURSE/MEDICAL SUITE        | NURSE/MEDICAL SUITE        | 50 - 100                      | N              |
| 213     | K753 SPED - BROOKLYN  | 756          | Y  | LIBRARY                    | LIBRARY                    | 50 - 100                      | N              |
| 213A    | K753 SPED - BROOKLYN  | 90           | N  | COACH'S OFFICE             | COACH'S OFFICE             | 50 - 100                      | N              |
| 214     | K753 SPED - BROOKLYN  | 272          | Y  | PRINCIPAL'S OFFICE         | PRINCIPAL'S OFFICE         | 50 - 100                      | N              |
| 217     | K753 SPED - BROOKLYN  | 400          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |
| 218     | K753 SPED - BROOKLYN  | 221          | Y  | SAVE/SUSPENSION ROOM       | SAVE/SUSPENSION ROOM       | 50 - 100                      | N              |
| 219     | K753 SPED - BROOKLYN  | 400          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |
| 220     | K753 SPED - BROOKLYN  | 484          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |
| 220A    | K753 SPED - BROOKLYN  | 99           | N  | STORAGE ROOM               | STORAGE ROOM               | 50 - 100                      | N              |
| 221     | K753 SPED - BROOKLYN  | 450          | Y  | REGULAR CLASSROOM          | REGULAR CLASSROOM          | 50 - 100                      | N              |
| 304     | K753 SPED - BROOKLYN  | 475          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |
| 305     | K753 SPED - BROOKLYN  | 364          | Y  | GUIDANCE OFFICE            | GUIDANCE OFFICE            | 50 - 100                      | N              |
| 306     | K753 SPED - BROOKLYN  | 468          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |
| 307     | K753 SPED - BROOKLYN  | 468          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |
| 308     | K753 SPED - BROOKLYN  | 532          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |
| 309     | K753 SPED - BROOKLYN  | 468          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |
| 310     | K753 SPED - BROOKLYN  | 468          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |
| 311     | K753 SPED - BROOKLYN  | 468          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |
| 313     | K753 SPED - BROOKLYN  | 520          | Y  | D75 SPED CLASSROOM         | D75 SPED CLASSROOM         | 50 - 100                      | N              |

**Bldg ID:** K085 P.S. 753 (OLD P85/STERLING HS) - K

**Geo District:** 13

**Bldg Address:** 510 CLERMONT AVENUE

**Survey Principal:** YVROSE PIERRE

 Added Room

 Room Number Changed

| Room No | 2015-2016<br>Org Name | Room<br>SQFT | AC | 2014-2015<br>Room Function  | 2015-2016<br>Room Function  | Primary<br>Function<br>Used % | Sharing<br>Y/N |
|---------|-----------------------|--------------|----|-----------------------------|-----------------------------|-------------------------------|----------------|
| 314     | K753 SPED - BROOKLYN  | 189          | Y  | OTHER OFFICE                | OTHER OFFICE                | 50 - 100                      | N              |
| 314A    | K753 SPED - BROOKLYN  | 176          | Y  | OTHER OFFICE                | OTHER OFFICE                | 50 - 100                      | N              |
| 315     | K753 SPED - BROOKLYN  | 162          | N  | STORAGE ROOM                | STORAGE ROOM                | 50 - 100                      | N              |
| 319     | K753 SPED - BROOKLYN  | 858          | Y  | D75 SPED CLASSROOM          | D75 SPED CLASSROOM          | 50 - 100                      | N              |
| 319A    | K753 SPED - BROOKLYN  | 171          | Y  | SOCIAL<br>WORKER/COUNSELOR  | SOCIAL<br>WORKER/COUNSELOR  | 50 - 100                      | N              |
| 322     | K753 SPED - BROOKLYN  | 221          | Y  | AP'S OFFICE                 | AP'S OFFICE                 | 50 - 100                      | N              |
| B13     | K753 SPED - BROOKLYN  | 208          | N  | STORAGE ROOM                | STORAGE ROOM                | 50 - 100                      | N              |
| B15     | K753 SPED - BROOKLYN  | 1,404        | N  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |
| B17     | K753 SPED - BROOKLYN  | 390          | N  | STORAGE ROOM                | STORAGE ROOM                | 50 - 100                      | N              |
| B18-BR  | K753 SPED - BROOKLYN  | 1,920        | N  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |
| B19     | K753 SPED - BROOKLYN  | 494          | N  | STORAGE ROOM                | STORAGE ROOM                | 50 - 100                      | N              |
| B21     | K753 SPED - BROOKLYN  | 874          | N  | STORAGE ROOM                | STORAGE ROOM                | 50 - 100                      | N              |
| B4      | K753 SPED - BROOKLYN  | 320          | N  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |
| B6      | K753 SPED - BROOKLYN  | 54           | N  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |
| B7      | K753 SPED - BROOKLYN  | 169          | N  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |
| B8      | K753 SPED - BROOKLYN  | 406          | N  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |
| B9      | K753 SPED - BROOKLYN  | 96           | N  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |
| E-MR    | K753 SPED - BROOKLYN  | 70           | N  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |
| GYMOFF  | K753 SPED - BROOKLYN  | 176          | N  | COACH'S OFFICE              | COACH'S OFFICE              | 50 - 100                      | N              |
| GYMSTOR | K753 SPED - BROOKLYN  | 110          | N  | STORAGE ROOM                | STORAGE ROOM                | 50 - 100                      | N              |
| KIT1    | K753 SPED - BROOKLYN  | 315          | N  | KITCHEN                     | KITCHEN                     | 50 - 100                      | N              |
| KIT2    | K753 SPED - BROOKLYN  | 144          | N  | STORAGE ROOM                | STORAGE ROOM                | 50 - 100                      | N              |
| OIL     | K753 SPED - BROOKLYN  | 640          | N  | GENERAL BUILDING<br>SUPPORT | GENERAL BUILDING<br>SUPPORT | 50 - 100                      | N              |

**Bldg ID:** K085 P.S. 753 (OLD P85/STERLING HS) - K

**Geo District:** 13

**Bldg Address:** 510 CLERMONT AVENUE

**Survey Principal:** YVROSE PIERRE

  Added Room        Room Number Changed

| Room No | 2015-2016<br>Org Name | Room<br>SQFT | AC | 2014-2015<br>Room Function | 2015-2016<br>Room Function | Primary<br>Function<br>Used % | Sharing<br>Y/N |
|---------|-----------------------|--------------|----|----------------------------|----------------------------|-------------------------------|----------------|
| PAINT   | K753 SPED - BROOKLYN  | 340          | N  | STORAGE ROOM               | STORAGE ROOM               | 50 - 100                      | N              |
| WEIGHT  | K753 SPED - BROOKLYN  | 540          | N  | WEIGHT ROOM                | WEIGHT ROOM                | 50 - 100                      | N              |

How many student bathrooms are there in your building ? 4

Are any of the student bathrooms being shared by multiple schools ? N

Are all the student bathrooms open throughout the day ? N

Please identify the number of non-instructional spaces, not reported above, being used for instructional purposes, academic intervention services, or therapeutic or counseling services 0

Are any of those non-instructional space being shared? N

**Physical Education Instruction and Spaces:**

| <b>Space Used for PE:</b>                                 | <b>Percent%</b> |
|---|-----------------|
| Gymnasium   | 100             |
| Cafeteria   | 0               |
| Auditorium  | 0               |
| Fitness Room  | 0               |
| School yard (excluding recess time)                       | 0               |
| Facility outside of the building (list name and location) | 0               |
| Other - (please specify)                                  | 0               |